



Certificate of Analysis
Compliance Test

Client Information:

VITE LEAF 19046 BRUCE B. DOWNS BLVD TAMPA, FL 33647	Batch # D83RT2 Batch Date: 2024-08-15 Extracted From: HEMP	Test Reg State: Florida	Production Facility: TD MANUFACTURING LLC Production Date: 2024-08-15
Order # VIT240815-050001 Order Date: 2024-08-15 Sample # AAFW006	Sampling Date: 2024-08-16 Lab Batch Date: 2024-08-16 Completion Date: 2024-08-19	Initial Gross Weight: 81.356 g Density: 1.025 g/ml Volume: 30 ml	Number of Units: 1 Net Weight per Unit: 30000.000 mg



Product Image



Delta 8/Delta 10 Potency 13 - (LCUV)
Specimen Weight: 100.500 mg

Analyte	LOD (%)	LOQ (%)	Result (mg/ml)	Result (%)
Delta-8 THC	2.60E-5	0.0015	61.541	6.004
CBN	1.40E-5	0.0015	0.636	0.062
CBC	1.80E-5	0.0015	0.164	0.016
CBD	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBG	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.0015	<LOQ	<LOQ
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD			<LOQ	<LOQ
Total Active THC			<LOQ	<LOQ

Potency Summary

Total Delta 8 6.004% 1,846.230 mg	Total Delta 10 None Detected
Total Active THC None Detected	Total Active CBD None Detected
Total CBG None Detected	Total CBN 19.065 mg
Total Cannabinoids 6.082% 1,870.215 mg	0.062%

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.